



## ELECTROFUSION COUPLER



\* SDR9 SDR7 couplers can be supplied per request.

Code	Product Name	Size	SDR	pcs/box	Dimension		Remark
					L	D	
EFCL20A	Electrofusion Coupler	20	11	220	80	34	
EFCL25A	Electrofusion Coupler	25	11	200	80	39	
EFCL32A	Electrofusion Coupler	32	11	150	80	43	
EFCL40A	Electrofusion Coupler	40	11	108	86	53	
EFCL50A	Electrofusion Coupler	50	11	50	98	68	
EFCL63A	Electrofusion Coupler	63	11	32	109	81	
EFCL75A	Electrofusion Coupler	75	11	40	121	98	
EFCL90A	Electrofusion Coupler	90	11	12	147	118	
EFCL110A	Electrofusion Coupler	110	11	12	155	141	
EFCL125A	Electrofusion Coupler	125	11	10	170	158	
EFCL140A	Electrofusion Coupler	140	11	9	180	188	
EFCL160A	Electrofusion Coupler	160	11	8	190	199	
EFCL180A	Electrofusion Coupler	180	11	4	210	227	
EFCL200A	Electrofusion Coupler	200	11	4	205	247	
EFCL225A	Electrofusion Coupler	225	11	2	220	273	
EFCL250A	Electrofusion Coupler	250	11	2	216	307	
EFCL280A	Electrofusion Coupler	280	11	2	247	362	
EFCL315A	Electrofusion Coupler	315	11	1	234	384	
EFCL355A	Electrofusion Coupler	355	11	1	295	428	
EFCL400A	Electrofusion Coupler	400	11	1	295	473	


## LARGE ELECTROFUSION COUPLER



\* SDR9 SDR7 couplers can be supplied per request.

Code	Product Name	Size	SDR	Dimension		Remark
				L	D	
EFCL450A	Electrofusion Coupler	450	11	340	550	
EFCL500A	Electrofusion Coupler	500	11	360	615	
EFCL560A	Electrofusion Coupler	560	11	380	685	
EFCL630A	Electrofusion Coupler	630	11	420	770	
EFCL710A	Electrofusion Coupler	710	11	430	850	
EFCL800A	Electrofusion Coupler	800	11	440	960	
EFCL450B	Electrofusion Coupler	450	17	340	510	
EFCL500B	Electrofusion Coupler	500	17	360	570	
EFCL560B	Electrofusion Coupler	560	17	380	630	
EFCL630B	Electrofusion Coupler	630	17	420	710	
EFCL710B	Electrofusion Coupler	710	17	430	800	
EFCL800B	Electrofusion Coupler	800	17	440	910	
EFCL900B	Electrofusion Coupler	900	17	450	1022	
EFCL1000B	Electrofusion Coupler	1000	17	500	1135	
EFCL1100B	Electrofusion Coupler	1100	17	500	1240	
EFCL1200B	Electrofusion Coupler	1200	17	505	1355	
EFCL900C	Electrofusion Coupler	900	21/26	500	1000	
EFCL1000C	Electrofusion Coupler	1000	21/26	505	1110	
EFCL1100C	Electrofusion Coupler	1100	21/26	505	1220	
EFCL1200C	Electrofusion Coupler	1200	21/26	505	1330	
EFCL1400C	Electrofusion Coupler	1400	21/26	505	1550	

## THINNER ELECTROFUSION COUPLER




\* SDR9 SDR7 couplers can be supplied per request.

### Dimension

Code	Product Name	Size	SDR	pcs/box	L	D	Remark
LEFC63A	Electrofusion Coupler	63	11/17	32	90	76	Thinner Wall
LEFC75A	Electrofusion Coupler	75	11/17	40	110	90	Thinner Wall
LEFC90A	Electrofusion Coupler	90	11/17	12	120	110	Thinner Wall
LEFC110A	Electrofusion Coupler	110	11/17	12	130	130	Thinner Wall
LEFC125A	Electrofusion Coupler	125	11/17	10	140	150	Thinner Wall
LEFC140A	Electrofusion Coupler	140	11/17	10	140	170	Thinner Wall
LEFC160A	Electrofusion Coupler	160	11/17	8	170	190	Thinner Wall

## ASTM ELECTROFUSION COUPLER





\* Other 360 PSI EF Couplers can be supplied per request.

### Dimension

Code	Product Name	Size	Pressure	OD	D	L
IEFCL12A	IPS EF Coupler	1/2"	240PSI	0.84	1.34	2.83
IEFCL34A	IPS EF Coupler	3/4"	240PSI	1.05	1.57	2.83
IEFCL1A	IPS EF Coupler	1"	240PSI	1.32	1.81	3.15
IEFCL114A	IPS EF Coupler	1 1/4"	240PSI	1.66	2.17	3.39
IEFCL112A	IPS EF Coupler	1 1/2"	240PSI	1.9	2.52	3.86
IEFCL2A	IPS EF Coupler	2"	240PSI	2.37	3.07	4.21
IEFCL3A	IPS EF Coupler	3"	240PSI	3.5	4.41	5.79
IEFCL4A	IPS EF Coupler	4"	240PSI	4.5	5.51	6.30
IEFCL4A	IPS EF Coupler	5"	240PSI	5.56	6.85	6.73
IEFCL6A	IPS EF Coupler	6"	240PSI	6.63	8.11	7.28
IEFCL8A	IPS EF Coupler	8"	240PSI	8.63	10.63	8.03
IEFCL10A	IPS EF Coupler	10"	240PSI	10.75	13.28	8.66
IEFCL12A	IPS EF Coupler	12"	240PSI	12.75	15.75	9.6
IEFCL14A	IPS EF Coupler	14"	240PSI	14	17.29	10
IEFCL16A	IPS EF Coupler	16"	240PSI	16	19.76	11.81
IEFCL18A	IPS EF Coupler	18"	240PSI	18	22.24	12.6
IEFCL20A	IPS EF Coupler	20"	240PSI	20	24.71	14.41
IEFCL22A	IPS EF Coupler	22"	240PSI	22	27.18	15.7
IEFCL24A	IPS EF Coupler	24"	240PSI	24	29.65	15.7
IEFCL26A	IPS EF Coupler	26"	240PSI	26	32.12	17.5
IEFCL28A	IPS EF Coupler	28"	240PSI	28	34.59	17.52
IEFCL30A	IPS EF Coupler	30"	240PSI	30	37.06	17.52
IEFCL32A	IPS EF Coupler	32"	240PSI	32	39.53	18.5
IEFCL34A	IPS EF Coupler	34"	240PSI	34	42.00	19.69
IEFCL36A	IPS EF Coupler	36"	240PSI	36	44.47	19.69
IEFCL10B	IPS EF Coupler	10"	160PSI	10.75	12.40	8.66
IEFCL12B	IPS EF Coupler	12"	160PSI	12.75	14.71	9.6
IEFCL14B	IPS EF Coupler	14"	160PSI	14	16.15	10
IEFCL16B	IPS EF Coupler	16"	160PSI	16	18.46	11.81
IEFCL18B	IPS EF Coupler	18"	160PSI	18	20.77	12.6
IEFCL20B	IPS EF Coupler	20"	160PSI	20	23.08	14.41

## ASTM ELECTROFUSION COUPLER



\* Other 360 PSI EF Couplers can be supplied per request.

### Dimension

Code	Product Name	Size	Pressure	OD	D	L
IEFCL22B	IPS EF Coupler	22"	160PSI	22	25.38	15.7
IEFCL24B	IPS EF Coupler	24"	160PSI	24	27.69	15.7
IEFCL26B	IPS EF Coupler	26"	160PSI	26	30.00	17.5
IEFCL28B	IPS EF Coupler	28"	160PSI	28	32.31	17.52
IEFCL30B	IPS EF Coupler	30"	160PSI	30	34.62	17.52
IEFCL32B	IPS EF Coupler	32"	160PSI	32	36.92	18.5
IEFCL34B	IPS EF Coupler	34"	160PSI	34	39.23	19.69
IEFCL36B	IPS EF Coupler	36"	160PSI	36	41.54	19.69
IEFCL6H	IPS EF Coupler	6"	360PSI	6.63	9.84	8.03
IEFCL8H	IPS EF Coupler	8"	360PSI	8.63	12.60	8.82
IEFCL10H	IPS EF Coupler	10"	360PSI	10.75	14.17	9.53
IEFCL12H	IPS EF Coupler	12"	360PSI	12.75	16.93	10.63
DEFCL4A	DIPS EF Coupler	4"	240PSI	4.8	6.30	6.6
DEFCL6A	DIPS EF Coupler	6"	240PSI	6.9	8.46	7.87
DEFCL8A	DIPS EF Coupler	8"	240PSI	9.05	10.60	8.05
DEFCL10A	DIPS EF Coupler	10"	240PSI	11.1	13.00	8.66
DEFCL12A	DIPS EF Coupler	12"	240PSI	13.2	15.35	9.06
DEFCL14A	DIPS EF Coupler	14"	240PSI	15.3	18.30	11.8
DEFCL16A	DIPS EF Coupler	16"	240PSI	17.4	20.86	12.6
DEFCL18A	DIPS EF Coupler	18"	240PSI	19.5	23.20	14.4
DEFCL20A	DIPS EF Coupler	20"	240PSI	21.6	26.50	15.7
DEFCL24A	DIPS EF Coupler	24"	240PSI	25.8	30.50	16.5
DEFCL30A	DIPS EF Coupler	30"	240PSI	32	37.40	18.5

## ELECTROFUSION ELBOW



Dimension

Code	Product Name	Size	SDR	pcs/ box	L	L1	D	Remark
EFL920A	Electrofusion Elbow	20×90°	11		48	32	31	
EFL925A	Electrofusion Elbow	25×90°	11	100	74	36	39	
EFL932A	Electrofusion Elbow	32×90°	11	80	84	42	49	
EFL940A	Electrofusion Elbow	40×90°	11	45	102	45	59	
EFL950A	Electrofusion Elbow	50×90°	11	60	117	50	68	
EFL963A	Electrofusion Elbow	63×90°	11	40	128	53	84	
EFL975A	Electrofusion Elbow	75×90°	11	23	152	60	95	
EFL990A	Electrofusion Elbow	90×90°	11	15	180	70	116	
EFL9110A	Electrofusion Elbow	110×90°	11	7	217	81	141	
EFL9160A	Electrofusion Elbow	160×90°	11	3	283	89	199	
EFL9200A	Electrofusion Elbow	200×90°	11	2	346	99	246	
EFL440A	Electrofusion Elbow	40×45°	11	80	85	50	54	
EFL450A	Electrofusion Elbow	50×45°	11	50	101	55	64	
EFL463A	Electrofusion Elbow	63×45°	11	40	115	59	80	
EFL475A	Electrofusion Elbow	75×45°	11	32	140	63	99	
EFL490A	Electrofusion Elbow	90×45°	11	15	160	85	114	
EFL4110A	Electrofusion Elbow	110×45°	11	8	195	90	139	
EFL4160A	Electrofusion Elbow	160×45°	11	3	259	92	190	




JILIN SONG JIANG SMART JOINT CO.,LTD

[www.smartjoint.net](http://www.smartjoint.net) [sales@smartjoint.net](mailto:sales@smartjoint.net)

0086-432-66976665 0086-432-66976664

## ELECTROFUSION REDUCER



Dimension

Code	Product Name	Size	SDR	pcs/box	L	D1	D2
EFR3225A	Electrofusion Reducer	32-25	11	150	88	42	43
EFR4032A	Electrofusion Reducer	40-32	11	100	98	53	45
EFR5032A	Electrofusion Reducer	50-32	11	50	110	67	45
EFR5040A	Electrofusion Reducer	50-40	11	50	109	66	53
EFR6332A	Electrofusion Reducer	63-32	11	70	124	82	46
EFR6340A	Electrofusion Reducer	63-40	11	70	124	83	57
EFR6350A	Electrofusion Reducer	63-50	11	60	124	82	67
EFR7563A	Electrofusion Reducer	75-63	11	36	143	95	81
EFR9063A	Electrofusion Reducer	90-63	11	24	158	114	81
EFR9075A	Electrofusion Reducer	90-75	11	24	158	114	95
EFR11063A	Electrofusion Reducer	110-63	11	10	156	138	81
EFR11075A	Electrofusion Reducer	110-75	11	16	160	138	82
EFR11090A	Electrofusion Reducer	110-90	11	16	178	138	114
EFR12590A	Electrofusion Reducer	125-90	11	10	197	158	115
EFR16090A	Electrofusion Reducer	160-90	11	8	215	198	131
EFR160110A	Electrofusion Reducer	160-110	11	8	215	198	135




IN SONG JIANG SMART JOINT CO.,LTD

www.smartjoint.net sales@smartjoint.net

0086-432-66976665 0086-432-66976664

## ELECTROFUSION TEE



\* Coming in 2015.

Code	Product Name	Size	SDR	pcs/box	Dimension			Remark
					L1	L2	D	
EFT20A	Electrofusion Tee	20-20-20	11	180	88	42	31	*
EFT25A	Electrofusion Tee	25-25-25	11	120	109	79	36	
EFT32A	Electrofusion Tee	32-32-32	11	100	115	92	44	
EFT40A	Electrofusion Tee	40-40-40	11	50	146	107	51	
EFT50A	Electrofusion Tee	50-50-50	11	40	174	130	65	
EFT63A	Electrofusion Tee	63-63-63	11	25	195	146	77	
EFT75A	Electrofusion Tee	75-75-75	11	16	203	171	92	
EFT90A	Electrofusion Tee	90-90-90	11	12	233	200	109	
EFT110A	Electrofusion Tee	110-110-110	11	6	270	218	131	
EFT160A	Electrofusion Tee	160-160-160	11	2	340	298	188	
EFT2520A	Electrofusion Tee	25-20-25	11	120	109	78	36	
EFT3225A	Electrofusion Tee	32-25-32	11	100	115	92	45	
EFT4025A	Electrofusion Tee	40-25-40	11	50	146	117	54	
EFT4032A	Electrofusion Tee	40-32-40	11	50	146	117	53	
EFT5032A	Electrofusion Tee	50-32-50	11	40	174	129	65	
EFT5040A	Electrofusion Tee	50-40-50	11	40	174	128	66	
EFT6332A	Electrofusion Tee	63-32-63	11	40	150	140	76	
EFT6340A	Electrofusion Tee	63-40-63	11	40	150	140	75	
EFT6350A	Electrofusion Tee	63-50-63	11	25	195	144	77	
EFT7550A	Electrofusion Tee	75-50-75	11	16	204	171	92	
EFT7563A	Electrofusion Tee	75-63-75	11	16	203	171	91	
EFT9040A	Electrofusion Tee	90-40-90	11	15	200	175	108	
EFT9050A	Electrofusion Tee	90-50-90	11	15	200	178	109	
EFT9063A	Electrofusion Tee	90-63-90	11	15	200	178	110	
EFT9075A	Electrofusion Tee	90-75-90	11	12	234	196	110	
EFT11040A	Electrofusion Tee	110-40-110	11	10	222	198	133	
EFT11050A	Electrofusion Tee	110-50-110	11	10	222	199	132	
EFT11063A	Electrofusion Tee	110-63-110	11	10	223	200	132	
EFT11090A	Electrofusion Tee	110-90-110	11	6	269	216	132	
EFT16063A	Electrofusion Tee	160-63-160	11	3	287	294	193	
EFT16090A	Electrofusion Tee	160-90-160	11	3	288	293	193	






IN SONG JIANG SMART JOINT CO.,LTD

[www.smartjoint.net](http://www.smartjoint.net) [sales@smartjoint.net](mailto:sales@smartjoint.net)

0086-432-66976665 0086-432-66976664

## ELECTROFUSION TEE




\* Coming in 2015.

### Dimension

Code	Product Name	Size	SDR	pcs/box	L1	L2	D	Remark
EFT160110A	Electrofusion Tee	160-110-160	11	3	286	291	193	
EFT20063A	Electrofusion Tee	200-63-200	11	2	296	318	242	
EFT20090A	Electrofusion Tee	200-90-200	11	2	298	338	242	
EFT200110A	Electrofusion Tee	200-110-200	11	2	298	339	242	

## ELECTROFUSION TAPPING TEE



Code	Product Name	Size	SDR	Remark
EFTA6320A	Electrofusion Tapping	63-20	11	
EFTA6325A	Electrofusion Tapping	63-25	11	
EFTA6332A	Electrofusion Tapping	63-32	11	
EFTA9020A	Electrofusion Tapping	90-20	11	
EFTA9025A	Electrofusion Tapping	90-25	11	
EFTA9032A	Electrofusion Tapping	90-32	11	
EFTA11020A	Electrofusion Tapping	110-20	11	
EFTA11025A	Electrofusion Tapping	110-25	11	
EFTA11032A	Electrofusion Tapping	110-32	11	
EFTA11063A	Electrofusion Tapping	110-63	11	
EFTA14063A	Electrofusion Tapping	160-20	11	
EFTA16020A	Electrofusion Tapping	160-25	11	
EFTA16025A	Electrofusion Tapping	160-32	11	
EFTA16050A	Electrofusion Tapping	160-63	11	
EFTA20063A	Electrofusion Tapping	200-63	11	



## FULL ELECTROFUSION SADDLE



Unit:mm

Code	dn	Dn	225	250	280	315	355	400	450	500	560	630	710	800	900	1000	1100	1200	1400	1600	
EFSABR180A	180						√	√	√	√	√	√	√	√	√	√	√	√	√	√	√
EFSABR200A	200							√	√	√	√	√	√	√	√	√	√	√	√	√	√
EFSABR225A	225								√	√	√	√	√	√	√	√	√	√	√	√	√
EFSABR250A	250									√	√	√	√	√	√	√	√	√	√	√	√
EFSABR280A	280										√	√	√	√	√	√	√	√	√	√	√
EFSABR315A	315											√	√	√	√	√	√	√	√	√	√
EFSABR355A	355												√	√	√	√	√	√	√	√	√
EFSABR400A	400													√	√	√	√	√	√	√	√
EFSABR450A	450														√	√	√	√	√	√	√
EFSABR500A	500															√	√	√	√	√	√
EFSABR560A	560																√	√	√	√	√
EFSABR630A	630																	√	√	√	√

